

Revegetation Species Grown in Rootainers

Please contact the nursery for current stock levels availability and prices; to request a current landscape grade catalogue, or to advance order plants for 2008.

Email: info@titokinursery.co.nz or phone (03) 5423421

Anemanthele lessoniana <i>Gossamer grass</i>	Flowing grass especially useful in shady dry situations
Apodasmia similis <i>Oi oi Jointed Rush</i>	Attractive rush suitable for estuarine situations. Will grow in moist or dry conditions
Aristotelia serrata <i>Wineberry</i>	Quick growing small tree with attractive leaves, flowers & fruits for sheltered fertile, moist sites.
Arthropodium cirratum <i>Renga renga</i>	Coastal plant with large grey green leaves and sprays of white flowers in spring. Will grow in dry or damp situations, sun or shade. Useful in place of Agapanthus species.
Astelia fragrans <i>Bush lily</i>	Good understorey plant, stiff green strap like leaves, honey scented flowers, orange berries
Astelia chathamica <i>Silver Spear</i>	Spectacular silver flax-like leaved landscaping plant with orange fruits. Grows to 1.5m in sun or shade, prefers a rich soil.
Austrostipa stipoides <i>Estuarine tussock</i>	Attractive fawn coloured tussock which grows on tidal estuaries and coastlines. Slow growing.

Carex buchananii	Erect reddish brown sedge, of damp ground near streams, foreshore scrub and tussock grassland. Prefers full sun and some moisture
Carex comans <i>Maurea</i>	Low growing bronze sedge. Tolerant of a wide range of situations
Carex dipsacea	Medium sized sedge with light green leaves, particularly suitable for shady sites
Carex dissata	Small green sedge with striking black seed heads. Best in understory plantings or damp shady situations
Carex fascicularis	Locally rare sedge of coastal swampy ground with wide pale green tufting leaves.
Carex flagellifera <i>Bootlace sedge</i>	A common sedge occurring around coastal areas and forest margins
Carex forsteri <i>Forster's Carex</i>	Large leafy tuft forming sedge of forest clearings, stream and road side banks from sea-level to 600m. Prefers some shade.
Carex geminata <i>Cutty Grass</i>	Wide bladed spreading wetland sedge for revegetation, stream bank stabilisation, or water treatment projects.
Carex secta <i>Purei</i>	Large sedge for wetland, pond or streamside planting. Wet or dry sites.
Carex tenuiculmis	Medium reddish bronze sedge for wetland or streamside planting. Wet or dry sites
Carex testacea	Small ornamental sedge with arching green foliage with orange tips. Stands dry conditions.
Carex trifida <i>Tataki</i>	Large blue green sedge with large brown seed heads. Especially suitable for damp coastal sites
Carex virgata <i>Pukio</i>	A large sedge for wetland, pond or streamside planting
Carpodetus serratus <i>Putaputaweta / Marble leaf</i>	Small evergreen tree especially suitable for shady damp situations
Chamaecytisus palmensis <i>Tagasaste, tree lucerne</i>	Very quick growing tree useful for stock feed, shelter or planted as an indigenous forest nursery species. Attractive to bees and native birds. Free draining and dry sites.
Chionochloa conspicua <i>Hunangamoho</i>	Large tussock found in forests, scrub, stream or roadsides. Hardy, makes a bold feature plant, arching dull green leaves 1m, open drooping flower plumes.
Chionochloa flavicans <i>Miniature toetoe</i>	A dense dwarf pale green tussock with numerous champagne coloured seed heads spring – summer. Hardy in full sun, wind and dry soils.
Chionochloa rubra <i>Red tussock</i>	An attractive narrow leaved tussock to 1m. Suitable for moist conditions or looks great mass planted in exposed windy sites.
Coprosma acerosa <i>Sand coprosma</i>	Hardy spreading ground cover coastal species with inter-tangling branches and smokey blue berries. For stabilisation and coastal conservation.
Coprosma lucida <i>Shining karamu</i>	Quick growing tall shrub with glossy green leaves and fruits attractive to birds. An excellent shrub useful for revegetation, open or shady sites.
Coprosma propinqua <i>Mingimingi</i>	A densely branched very hardy shrub with small leaves & fruits for birds. Grows in most sites & soils tolerating very wet. For revegetation planting.

Coprosma repens <i>Taupata</i>	Tall shrub with glossy leaves for exposed coastal sites with light frosts, or plant as a fire retardant hedge. Fruits attractive to birds.
Coprosma robusta <i>Karamu</i>	Quick growing tall shrub with red fruits attractive to birds. Useful for revegetation, open or shady sites, prefers moist soils.
Coprosma tenuicaulis <i>Swamp Coprosma</i>	Small leaved shrub reaching 3m of lowland forest swamps and boggy ground, black glossy drupes.
Cordyline australis <i>Cabbage tree / Ti kouka</i>	Very hardy tree, tolerates almost all situations. Attractive to birds and bees. For revegetation & shelter.
Cordyline banksii <i>Forest cabbage tree /Ti ngahere</i>	Small tree often branching at ground level into several stems. Graceful long drooping leaves, fragrant flowers in spring.
Coriaria arborea <i>Tutu</i>	Low shrub - small tree with frond like foliage. Excellent stabiliser for steep banks and revegetation. Attractive appearance but highly poisonous.
Korokia 'Bronze King' <i>Korokia</i>	Attractive shrub to 2m. Yellow flowers (spring) and orange/red fruits (autumn). Excellent hedging for dry/sunny situations.
Cortaderia richardii <i>Toetoe</i>	Straplike leaves and tall flower plumes. Grows in most sites and soils. For revegetation, wetland, coastal, riparian or farm low shelter.
Dacrycarpus dacrydioides <i>Kahikatea, white pine</i>	Tall forest tree, the female trees have red fruits which are attractive to birds. Grows in most soils especially useful in moist swampy ground.
Dacrydium cupressinum <i>Rimu</i>	Large attractive forest tree. Suitable for planting in sheltered shady sites.
Desmoschoenus spiralis <i>Pingao</i>	Hardy orange-green spiked coastal sedge that binds sand dunes. Contract grown, please order one year in advance
Dianella nigra <i>Turutu / Blueberry</i>	Hardy tufted small flax like plant with blue berries. Sun or semi shade
Dodonaea viscosa <i>Akeake</i>	Very quick growing tree for dry sites and free draining soils. For coastal planting and shelter.
Dodonaea viscosa 'Purpurea' <i>Purple akeake</i>	Quick growing tree suiting the same conditions as above. Purple foliage and seeds making it more useful for shelter or landscape purposes rather than revegetation.
Fuchsia excorticata <i>Kotukutuku / Tree Fuchsia</i>	Semi-deciduous fast growing forest tree with orangey papery bark and berries attractive to birds. Best with some shelter.
Griselinia littoralis <i>Broadleaf</i>	Very hardy small tree with bright green leaves & berries attractive to birds. For shelter & revegetation planting.
Hebe brachysiphon	Shrub of 1m with light green/yellow leaves. Nelson lakes, mountainous hardy Hebe.
Hebe leiophylla (syn. gracillima)	Quick growing, small to medium tough shrub with bright green foliage and white flowers in summer. For coastal planting and revegetation.

Hebe salicifolia <i>Koromiko</i>	Quick growing spreading shrub with attractive flowers. Open sites & free draining soils, upland and inland areas. Grows 2 – 3 metres. For revegetation & shelter.
Hebe stenophylla (Syn. parviflora) Narrow leaved koromiko	Quick growing very hardy spreading shrub with attractive flowers. Open sites & free draining soils. Grows to 2-3 metres. For revegetation & low shelter
Hebe stricta var. atkinsonii <i>Koromiko</i>	Similar in form and habit to H. salicifolia but of more coastal and lowland valley localities. Grows 2m for coastal or riparian revegetation.
Hebe subalpina	Compact hardy Hebe with light green foliage & white flowers.
Hedycarya arborea <i>Pigeonwood</i>	Attractive large leaved tree with orange fruits for birds. Prefers sheltered sites.
Hoheria angustifolia <i>Narrow leaved lacebark</i>	Hardy erect small tree. Attractive specimen but very useful re-veg species, tolerant of full sun and frosts, quick growing, white flowers.
Kunzea ericoides <i>Kanuka</i>	Quick growing tree that will grow in open exposed sites and poor soils. Excellent for shelter and revegetation.
Leptospermum scoparium <i>Manuka</i>	Hardy colonising shrub with attractive white flowers. Grows in almost all sites & soils. For revegetation and wetland planting.
Lophomyrtus obcordata <i>Rohutu</i>	Hardy small shrub for revegetation and conservation in lowland forest and scrub.
Macropiper excelsum <i>Kawakawa</i>	Evergreen shrub with attractive heart shaped leaves and orange drupes favoured by birds. Understorey species for coastal sites. Light frosts.
Melicytus micranthus <i>Shrubby mahoe</i>	Shrub to 2m with stiff interlaced branches of lowland forest, scrub and forest margins. Prefers light shade. Locally rare.
Melicytus ramiflorus <i>Mahoe</i>	Quick growing large shrub or small tree Purple berries in late summer attractive to birds. Prefers shady situations. Light to medium frosts only when young. For revegetation planting.
Metrosideros robusta <i>Northern rata</i>	Thick leathery leaved rata of coastal areas locally (GB). Needs sunny well drained sites. Vivid red summer flowers.
Metrosideros umbellata <i>Southern rata</i>	High rainfall and upland cooler climes rata , smaller leaved vivid red flowers. Frost hardy, slower growing
Muehlenbeckia complexa <i>Pohuehue</i>	Hardy sprawling shrub of tangled wiry stems. Useful for covering banks, or train to climb for low hedging. Fed on by native butterfly caterpillars and lizards too.
Myoporum laetum <i>Ngaio</i>	Very quick growing tree for exposed sites, salt winds and poor soils. For coastal shelter & revegetation
Myrsine australis <i>Mapou, Red matipo</i>	Medium bushy shrub or small tree. Will grow in most situations though dislikes heavy frosts. Ideally suited to understorey planting. Also suitable for hedging.
Nestegis montana <i>Narrow leaved maire</i>	Round headed lowland forest tree now rare on the Waimea plains. For conservation planting, enjoys some shelter and light.

Nothofagus menziesii <i>Silver beech</i>	Large tree and specific host of the threatened scarlet mistletoe. Suitable for free draining lowland forest wetter areas – sub-alpine.
Nothofagus solandri <i>Black beech</i>	Large tree, suitable for free draining soils with reasonable shelter
Nothofagus truncata <i>Hard beech</i>	Large tree, suitable for free draining soils with reasonable shelter.
Olearia paniculata <i>Akiraho</i>	Tall shrub for dry, exposed free draining sites. For revegetation, shelter and coastal planting.
Olearia solandri	Medium quick growing shrub for dry exposed coastal sites. Occurring locally east of the Glen around estuary margins and rivers
Olearia traversii <i>Chatham Is akeake</i>	A hardy shrub for tough exposed dry sites with good drainage. Effective hedging or shelter to 4m, insignificant flowers and gnarly old trunks with age.
Ozothamnus leptophylla <i>Tauhinu / cottonwood</i>	A particularly hardy shrub with small tight silvery foliage. Good for difficult exposed sites naturally occurring on coastal cliffs and back-dunes.
Pennantia corymbosa <i>Kaikomako</i>	A hardy slow growing tree with divaricating juvenile form. Attractive adult foliage & white flowers attractive to birds and insects.
Phormium cookianum <i>Coastal flax / wharariki</i>	Very hardy plant. Grows in most sites & soils. For conservation, birds, low shelter, especially coastal sites.
Phormium cookianum dwarf <i>'Green Dwarf'</i>	Very hardy landscape plant reaching 1m. Nectar bearing flowers attractive to birds.
Phormium tenax <i>New Zealand flax / harakeke</i>	A very hardy plant, grows in a wide range of soils & sites but prefers moisture. For wetlands & low shelter. Attractive to birds
Pittosporum eugenioides <i>Lemonwood</i>	Quick growing small tree. Grows in the open or in part shade & most soils. For revegetation & shelter
Pittosporum tenuifolium <i>Kohuhu</i>	Very hardy small tree. Grows in exposed sites & most soils. For revegetation & low shelter.
Plagianthus divaricatus <i>Saltmarsh ribbonwood</i>	Small to medium shrub with densely interlaced reddish foliage. Will grow in estuarine situations. Also makes an interesting hedge.
Plagianthus regius <i>Ribbonwood</i>	Very quick growing hardy upright tree. Grows in open sites & most soils. For shelter & revegetation.
Poa aff. cita <i>Coastal silver tussock</i>	Graceful light green - fawn tussock tolerates dry rocky sunny situations.
Poa cita <i>Silver tussock</i>	Graceful light green tussock which prefers dry sunny situations.
Podocarpus totara <i>Totara</i>	Very hardy, spreading tree. Fruits attractive to birds. Grows in dry situations. For revegetation, conservation & farm planting.

Prumnopitys ferruginea <i>Miro</i>	Attractive slow growing forest or specimen tree with large red fruits attractive to birds. For supplementary planting once shelter is established or present.
Prumnopitys taxifolia <i>Matai</i>	Very hardy, large tree. Fruits attractive to birds. Grows in dry conditions. Slow growing. For revegetation, conservation and farm planting.
Pseudopanax arboreus <i>Five finger</i>	A large shrub with bold leaves & seeds attractive to birds. Prefers sheltered sites & fertile soils. For revegetation.
Pseudopanax crassifolius <i>Lancewood</i>	Very hardy small tree. Grows in most soils & sites, including shade. For supplementary & conservation planting.
Pseudopanax ferox <i>Toothed lancewood</i>	Hardy small tree. Grows in exposed sites & dry soils. For supplementary planting.
Rhopalostylis sapida <i>Nikau palm</i>	Beautiful slow growing palm tree of largely moist coastal gullies and streams requiring shelter from frost and direct sun when young.
Schefflera digitata <i>Pate</i>	Large leaved small tree with bold seven fingered foliage and masses of purple fruits for birds. Suited to damp shady understory sites.
Spinifex sericeus <i>Silver sand binding sedge</i>	Land forming creeping grass, binding sand dunes systems. Attractive silvery silky appearance with large spiky seed heads that once tumbled along our beaches. Contract grown, please order one year in advance
Sophora longicarinata <i>Takaka Hill kowhai</i>	Erect and fast growing small tree with yellow flowers and small leaves, attractive to birds. Grows in limestone sites & soils. For conservation & farm planting.
Sophora microphylla <i>South Island kowhai</i>	Medium sized tree with yellow flowers attractive to birds. Grows in most sites & soils. For riparian, revegetation & farm planting.
Sophora tetraptera <i>Kowhai</i>	Quick growing kowhai for home or amenity planting. Not local to this area so not recommended for revegetation.
Uncinia rubra <i>Hook grass</i>	Attractive deep red coloured low growing hook-sedge. Best in semi sun/shade, good edging plant.
Weinmannia racemosa <i>Kamahi</i>	A tall lowland forest tree favouring cool moist situations. Attractive red inflorescences early summer. Tolerates shade or sun.